

SOUTH EAST SELPA

LOW INCIDENCE EQUIPMENT / MATERIALS REQUISITION FORM

(Incomplete forms cannot be processed and will be returned)

Request Date _____ Requesting District _____ SELPA Code **4311**
Requested by _____ Phone _____ Email _____
Delivery Contact _____ Phone _____ Email _____
LI Received Date _____ LI Received by _____

1. Student Name _____ **Attending School** _____ **District of Service** _____
Low Incidence Disability: Hard of Hearing Deaf Deaf/Blind Visually Impaired Orthopedically Impaired

2. Student Name _____ **Attending School** _____ **District of Service** _____
Low Incidence Disability: Hard of Hearing Deaf Deaf/Blind Visually Impaired Orthopedically Impaired

3. Student Name _____ **Attending School** _____ **District of Service** _____
Low Incidence Disability: Hard of Hearing Deaf Deaf/Blind Visually Impaired Orthopedically Impaired

Indicate which of the following resources were consulted prior to completing this request:
 Assistive Technology Specialist Speech/Language Pathologist CCS
 Vision Specialist Speech / Language Pathologist Other _____

ITEM(S) REQUESTED (Include detailed ordering information):

Qty.	Model/Part Number	Description	Cost Each	Total Cost
1. _____	_____	_____	_____	_____
2. _____	_____	_____	_____	_____
3. _____	_____	_____	_____	_____
4. _____	_____	_____	_____	_____

Attach additional page if necessary for additional student names & items
Sales Tax \$ _____
Shipping \$ _____
Total Cost \$ _____

VENDOR

Name _____ Phone _____ Fax _____
Address _____ City, State Zip _____
Representative _____ Website _____

DESCRIBE NEED: (Please attach report and current IEP that indicate the need for low incidence materials/equipment)

District Administrator Signature Date

Low Incidence Action			
Date _____	Approved _____	Denied _____	Returned for further detail _____
SELPA Director Signature _____			

After obtaining required district administrator approval, email request and necessary documents to selpa_lowincidence@mpesd.org
Questions - Telephone: 408.223.3773 Fax:408.532.9311